

# MATERIAL SAFETY DATA SHEET Adhesive Anticorrosive Zinc Tape NoRust Zinc Tape

Date of issue: 01.08.2019

First issue

### 1. Supplier identification:

Company name and address:

A-SPE Europe Agatowa 5 82-310 Gronowo Górne Polska/Poland

Tel.: +48 55 236 77 36 Fax: +48 55 235 11 52 E-mail: <u>info@a-spe.com</u> Website: <u>www.a-spe.com</u>

2. Product identification.

Product description and use:

NoRust Zinc Tape is self-adhesive anti-corrosive tape composed of degreased zinc foil with a purity >99% and acrylic adhesive layer. It is designed to be used as the corrosion protection of metallic structures.

Zinc coated layer is UV resistant and will not be infiltrated by water, gas, etc., so corrosion does not develop from the inside.

### 3. Identification of hazard.

If product is used under normal conditions in compliance with the instructions received form the manufacturer there is no health hazard.

### 4. Information about components.

Component

Description

Zinc layer thickness

0,09mm

Adhesive layer thickness

0,06mm

Protection liner

Silicon paper 80 g / m2

Total thickness

0,21mm

Physical form: rolls

## 5. First aid measures.

Effects and symptoms:	None	
Ingestion:	N/A	
Inhalation:	N/A	
Skin contact:	Handling the product does not involve specific risks of skin irritation. However it is recommended to wear the hand glov to avoid injury due to the sharp edges.	
Eye contact:	N/A	
Other information:	None	
6. Fire-fighting provisions.		
Extinguishing media:	Carbon Dioxide, Water, Foams, Dry Powders.	
Special procedures:	In case of fire, reduce smoke emission by using jets	
Fire or explosion risk:	water. None	
Other information:	None	
7. Accidental release measures.		
Personal precautions:	Sharp edge can easily scratch the skin.	
Environmental procedures:	None	
During the tape application wear standard protective clothing and obey local regulations.		
8. Handling and storage.		
Handling It does not involve any health and safety risks.		
Storage Product to be kept in fresh and aerate room, at 20°C and max. 50% humidity.		
Incompatibilities Diluted mineral acids, oxidizing agents		
9. Exposure controls and personal protection.		
Exposure control	None	
Protection	None	
The state of the s		

## 10. Physical/chemical characteristics.

Physical state:	Solid	
Colour:	External surface – metallic grey Internal adhesive surface – clear	
Odour:	None	
Boiling point:	Sublimation of the metal foil at T° ≈ 950° C	
Self-igniting temperature	Unknown	
Solubility:	Zinc foil soluble in diluted acids with hydrogen evolution	
Density:	≈ 7 kg / dm3	
11. Stability and Reactivity Data.		
Stability:	Stable under normal conditions	
Conditions to avoid:	Overheating T° > 900° C	
Material that should NOT come into contact with the product:	Acids and oxidizing agents	
Hazardous Decompositions Products:	In reaction with acids, it can emit a hydrogen. The heat of reaction is sufficient to start the fire.	
12. Toxicological information.		
No information is available		
13. Ecological hazard.		
No information is available.		
14. Waste Disposal Methods.		
Dispose the cartoon box and silicon release paper according to the local regulations. Tape which loses its properties should be utilised according to the local regulations.		
15. Transport.		
All means of transport are recommended. It is not bound by RID/ADR, IMIG (IMCO), UM, IATA. It is not required to mark means of transport using labels or warning signs.		

### 15. Law regulations.

Customer is obligated to obey international local regulations.

### 16. Other information.

Accessibility: All information included in this document should be accessible for everyone, who uses the product.

Responsibility: All information included in this document is based on the present scientific knowledge, received from a good authority. This information is provided without being assumed as a warranty of product quality (directly or indirectly). Conditions and methods of handling, storing, applying or utilizing of the product are beyond A-SPE's control. As a result, A-SPE Polska cannot be liable for losses, damages and all incurred costs of handling, storing, application and utilising. This document was intended to inform customers about health hazard and environment protection. This is not a specification of the product and cannot be assumed as a product technical data.